

中華民國 106 年 6 月 6 日
經濟部公告 經貿字第 10602608530 號

主 旨：公告修正「限制輸出貨品表」，自中華民國 106 年 6 月 15 日起，CCC7210.70.10.00-5「塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率 50 赫芝最大磁通密度 1.5 韋伯／平方公尺時鐵心損失在 6.5 瓦特／公斤及以上者」等 17 項臺灣產製之貨品（如附件 1）輸往越南，取得經濟部國際貿易局（下稱貿易局）核發之輸往越南彩色鋼板配額證明書者，出口時應主動於出口報單「輸出入許可文件號碼－項次」欄位填報證明書號碼向海關申報。

依 據：貿易法第十一條第二項、貨品輸出管理辦法第五條。

公告事項：

一、越南 106 年 5 月 31 日公告自 106 年 6 月 15 日起對我國旨揭貨品啟動 3 年關稅配額之防衛措施（不受防衛稅之進口配額量第 1 年 14,428 公噸、第 2 年 15,871 公噸、第 3 年 17,458 公噸）。我國旨揭貨品尚未以越南海防市及胡志明市 2 港口為進口港，或未取得貿易局核發之配額證明書，或出口到越南時超過我國獲配之配額，越南進口人報關進口該等貨品時，將適用配額外防衛稅率 19%。

二、為協助廠商因應此項措施、維護貿易秩序及政策需要，本部爰配合越南規定，公告我國出口人出口旨揭貨品，採行限制措施。擬使越南進口人享有配額內防衛稅率（0%）之出口人，應依本公告向貿易局申請年度配額，出口前逐批申請輸往越南彩色鋼板配額證明書（附件 2），並應於出口時主動於出口報單「輸出入許可文件號碼－項次」欄位填報證明書號碼向海關申報。

三、旨揭貨品年度配額規定如下：

（一）第 1 年度配額期間：106 年 6 月 15 日起至 107 年 6 月 14 日止。

（二）第 1 年度配額總量：14,428 公噸。

（三）第 1 年度配額分配：

1、出進口廠商於 103 年至 105 年間具旨揭貨品出口越南實績者（附件 3），得於 106 年 6 月 9 日下午 5 時前檢附輸往越南彩色鋼板配額申請書（附件 4）送達貿易局申請配額，由貿易局依實績比例核配，逾時不受理；第 1 次配額利用期間為 106 年 6 月 15 日起至 107 年 3 月 14 日止。

2、獲配廠商得檢附轉讓同意書（附件 5）向貿易局申請配額轉讓。

3、獲配廠商 107 年 3 月 14 日止未利用之配額將由貿易局收回並視配額利用情形再辦理第 2 次配額分配。但獲配廠商如仍須利用已獲配而尚未利用之配額，得於 107 年 3 月 14 日前檢附交易證明文件向貿易局申請延期利用。

四、輸往越南彩色鋼板配額證明書之申請：

（一）獲配年度配額或受讓配額之廠商，出口前應逐批向貿易局申請輸往越南彩色鋼板配額證明書（申請書如附件 6）。

(二) 出口人取得證明書後應於 1 個月內辦理出口。

(三) 出口時，出口人應主動於出口報單「輸出入許可文件號碼一項次」欄位填報證明書號碼向海關申報。

部 長 李世光

附件 1


限制輸出貨品明細表

序號	CCC 號列	貨品名稱
1	7210.70.10.00-5	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率 50 赫芝最大磁通密度 1.5 韋伯／平方公尺時鐵心損失在 6.5 瓦特／公斤及以上者 Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50Hz and magnetic flux density of 1.5 Wb/m2, the iron loss 6.5 W/kg or more
2	7210.70.20.00-3	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率 50 赫芝最大磁通密度 1.5 韋伯／平方公尺時鐵心損失在 5 瓦特／公斤及以上但未達 6.5 瓦特／公斤者 Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m2, the iron loss 5 W/kg or more but less than 6.5 W/kg
3	7210.70.30.00-1	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率 50 赫芝最大磁通密度 1.5 韋伯／平方公尺時鐵心損失低於 5 瓦特／公斤者 Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50Hz and magnetic flux density of 1.5 Wb/m2, the iron loss less than 5 W/kg
4	7210.70.90.11-5	以熱浸鍍鋅為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品 Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, based on hot-dipped with zinc
5	7210.70.90.12-4	以熱浸鍍鋅鋁合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品 Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, based on hot-dipped with zinc-aluminium alloys

6	7210.70.90.13-3	以熱浸鍍鋅鋁鎂合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc-aluminium-magnesium alloys
7	7210.70.90.19-7	其他以熱浸鍍鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品 Other flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc alloys
8	7210.70.90.20-4	以熱浸鍍鋁鋅為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc alum
9	7210.70.90.30-2	以電解法鍍或塗鋅或鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on electrolytically plated or coated with zinc or zinc-alloy
10	7210.70.90.40-0	以冷軋為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on cold-rolled
11	7210.70.90.90-9	其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品 Other flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics
12	7212.40.10.00-0	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率 50 赫芝最大磁通密度 105 韋伯／平方公尺時鐵心損失在 6.5 瓦特／公斤及以上者 Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m ² , the iron loss 6.5 W/kg or more
13	7212.40.20.00-8	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率 50 赫芝最大磁通密度 1.5 韋伯／平方公尺時鐵心損失在 5 瓦特／公斤及以上但未達 6.5 瓦特／公斤者 Flat-rolled products of iron or non-alloy steel, painted, varnished

		or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m ² , the iron loss 5 W/kg or more but less than 6.5 W/kg
14	7212.40.30.00-6	<p>塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率 50 赫芝最大磁通密度 1.5 韋伯／平方公尺時鐵心損失低於 5 瓦特／公斤者</p> <p>Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m², the iron loss less than 5W/kg</p>
15	7212.40.90.00-3	<p>其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品</p> <p>Other flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics</p>
16	7225.99.10.00-5 EX	<p>其他合金鋼之扁軋製品，寬度 600 公厘及以上，經鍍面、塗面或護面者，高速鋼除外</p> <p>Flat-rolled products of other alloy steel, plated, coated or clad, of a width of 600 mm or more, excluding high speed steel</p>
17	7226.99.90.00-7	<p>其他合金鋼扁軋製品，寬度小於 600 公厘者</p> <p>Flat-rolled products of other alloy steel, of a width of less than 600 mm</p>

附件 2

Exporter's Name and Address			Certificate No.	
			SAFEGUARD QUOTA CERTIFICATE OF Pre-painted Galvanized Steel Sheet and Strip Export to Vietnam	
Importer's Name and Address				
Port of Discharge <input type="checkbox"/> Hai Phong City <input type="checkbox"/> Ho Chi Minh City			Port of Loading	
Item	HS Code (TW)	HS Code (VN)	Description of Goods	Quantity/Unit
Remarks			Certifying Authority	
				

附件 3

103-105 年彩色鋼板輸往越南 30 家廠商名單(依廠商統一編號排序)

序號	廠商名稱
1	客來博企業股份有限公司(CRAB INDUSTRY CO., LTD.)
2	鼎弘金屬科技股份有限公司(PYRAMID METAL TECHNOLOGY CO., LTD.)
3	瑞越企業有限公司(RAY-VIET ENTERPRISE CORP.)
4	草衙機械工程有限公司(CAOYA MECHANICAL ENGINEERING CO., LTD.)
5	信昌製網工業有限公司(SHIN CHANG METAL INDUSTRIAL CO., LTD.)
6	華明鋼鐵股份有限公司(HUA MING STEEL COMPANY LIMITED)
7	台朔重工股份有限公司(FORMOSA HEAVY INDUSTRIES CORPORATION)
8	南駿貿易有限公司(LEGEND GLOBAL TRADING CO., LTD.)
9	盟鑫金屬有限公司(MENG SIN MATERIAL CO., LTD.)
10	元大興企業有限公司(YUAN TAI HING ENTERPRISE CO., LTD.)
11	翊聖鋼鐵有限公司(E. SHAN STEEL ENTERPRISE CO., LTD.)
12	益瑞興業有限公司(YE-SUI ENTERPRISES CO., LTD.)
13	南冠貿易有限公司(NAN KUAN TRADING CO., LTD.)
14	綠茵電機有限公司(LI-IN ELECTRICAL CO., LTD.)
15	政康特殊鋼股份有限公司(CHEN-KAN SPECIAL STEEL CO., LTD.)
16	意慶發企業有限公司(CHANG HWANG FA ENTERPRISE CO., LTD.)
17	博鈞有限公司(PO-CHUN CO., LTD.)
18	昭定企業有限公司(ZHAO GIVEN ENTERPRISE CO., LTD.)
19	禾詮鋼鐵有限公司(ALL CHANCE STEEL ENTERPRISE CO., LTD.)
20	隆廷有限公司(LONG TING STEEL&IRON CO., LTD.)
21	大鼎興業股份有限公司(PYRAMID STAINLESS STEEL CO., LTD.)
22	燁輝企業股份有限公司(YIEH PHUI ENTERPRISE CO., LTD.)
23	盛餘股份有限公司(SHENG YU STEEL CO., LTD.)
24	昀真工程有限公司(WIN JAN ENGINEERING CO., LTD.)
25	江益企業股份有限公司(CHAMPION YEAR ENTERPRISE CO., LTD.)
26	凱景實業股份有限公司(KAI CHING INDUSTRY CO., LTD.)
27	尚興鋼鐵工業股份有限公司(SHANG SHING STEEL INDUSTRIAL CO., LTD.)
28	聯琦金屬股份有限公司(LIEN CHY LAMINATED METAL CO., LTD.)
29	禾寶實業股份有限公司(HARPRO RESOURCES LIMITED)
30	金耘鋼鐵股份有限公司(GOLDEN WIN STEEL INDUSTRIAL CORP.)

附件 4

輸往越南彩色鋼板第 1 年度配額申請書

_____公司申請輸往越南彩色鋼板
第 1 年度（106 年 6 月 15 日至 107 年 6 月 14 日）配額。

申請廠商：

統一編號：_____

代 表 人：_____

公司名稱：_____

（請加蓋公司及代表人印章）

此致

經濟部國際貿易局

中 華 民 國

年

月

日

附件 5

輸往越南彩色鋼板配額轉讓同意書

_____公司（出讓廠商）同意轉讓輸往越南彩色鋼板_____公噸予_____公司（受讓廠商）。

出讓廠商：

統一編號：_____

代 表 人：_____

公司名稱：_____

（請加蓋公司及代表人印章）

受讓廠商：

統一編號：_____

代 表 人：_____

公司名稱：_____

（請加蓋公司及代表人印章）

中 華 民 國

年

月

日

附件 6

出口人名稱及地址 Exporter's Name and Address		證號 Certificate No.		
		輸往越南彩色鋼板配額證明書 SAFEGUARD QUOTA CERTIFICATE OF Pre-painted Galvanized Steel Sheet and Strip Export to Vietnam (申請書)		
進口人名稱及地址 Importer's Name and Address				
卸貨港 Port of Discharge <input type="checkbox"/> 海防市 Hai Phong City <input type="checkbox"/> 胡志明市 Ho Chi Minh City		裝貨港 Port of Loading		
項次 Item	貨品號列(臺灣)* HS Code (TW)	稅則號別(越南)* HS Code (VN)	貨品描述含名稱、型號、規格 Description of Goods	數量/單位 Quantity/Unit
申請人（出口人）切結：The exporter hereby declares that： 1.本證明書內所列之貨品原產地為臺灣。 The goods listed in this certificate originate in Taiwan. 2.本證明書內所列之貨品符合下列原產地認定標準：(①~⑤請勾選 1 項) <input type="checkbox"/> ①我國完全取得 The goods are obtained completely in Taiwan. <input type="checkbox"/> ②我國完全生產 The goods are produced entirely in Taiwan. 貨品之加工製造涉及我國與其他國家或地區共同參與者，以在我國境內產生最終實質轉型者為限： The goods that use non-originating materials conform to the following rules: <input type="checkbox"/> ③貨品經加工或製造後稅則前 6 位碼改變 The non-originating materials used in the production of the goods shall undergo a change of Tariff Subheading, CTSH. <input type="checkbox"/> ④貨品經加工或製造後未造成稅則前 6 位碼改變，但附加價值率超過 35% The non-originating materials used in production have not undergone a change of Tariff Subheading, but the Value Added Rate exceeds 35%. <input type="checkbox"/> ⑤貨品經加工或製造後未造成稅則前 6 位碼改變，但符合貿易局公告之重要製程者 The non-originating materials used in production have not undergone a change of Tariff Subheading, but the processing operations specified by the BOFT have been conducted in Taiwan. 3.上述內容均已據實填報，如有不實或有違法情事，願依貿易法第 28 條規定接受行政處罰。 This certificate is truthfully filled out. Any false statement made in this document or violation of the relevant laws is subject to administrative penalty in accordance with Article 28 of the "Foreign Trade Act".				

*臺灣貨品號列與越南稅則號別對照如附表

附表

彩色鋼板越南稅號對照臺灣稅號				
序號	越南稅號	貨 名	臺灣CCC code	貨 品 名 稱
1	7210701000	less than 0.6% of carbon and of a thickness of 1.5 mm or less	7210.70.10.00-5	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率50赫芝最大磁通密度1.5韋伯／平方公尺時鐵心損失在6.5瓦特／公斤及以上者Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50Hz and magnetic flux density of 1.5 Wb/m ² , the iron loss 6.5 W/kg or more
2	7210709000	-- Other	7210.70.20.00-3	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率50赫芝最大磁通密度1.5韋伯／平方公尺時鐵心損失在5瓦特／公斤及以上但未達6.5瓦特／公斤者Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m ² , the iron loss 5 W/kg or more but less than 6.5 W/kg
			7210.70.30.00-1	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率50赫芝最大磁通密度105韋伯／平方公尺時鐵心損失低於5瓦特／公斤者Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50Hz and magnetic flux density of 1.5 Wb/m ² , the iron loss less than 5 W/kg
			7210.70.90.11-5	以熱浸鍍鋅為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, based on hot-dipped with zinc
			7210.70.90.12-4	以熱浸鍍鋅鋁合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, based on hot-dipped with zinc-aluminium alloys
			7210.70.90.13-3	以熱浸鍍鋅鋁鎂合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, based on hot-dipped with zinc-aluminium-magnesium alloys
			7210.70.90.19-7	其他以熱浸鍍鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品Other flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, based on hot-dipped with zinc alloys
			7210.70.90.20-4	以熱浸鍍鋁鋅為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, based on hot-dipped with zinc alum
			7210.70.90.30-2	以電解法鍍或塗鋅或鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, based on electrolytically plated or coated with zinc or zinc-alloy
			7210.70.90.40-0	以冷軋為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, based on cold-rolled
			7210.70.90.90-9	其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品Other flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics

彩色鋼板越南稅號對照臺灣稅號				
序號	越南稅號	貨 名	臺灣CCC code	貨 品 名 稱
3	7212401000	--Hoop and strip, of a width not exceeding 400 mm	7212.40.10.00-0	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率50赫芝最大磁通密度1.5韋伯／平方公尺時鐵心損失在6.5瓦特／公斤及以上Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m2, the iron loss 6.5 W/kg or more
4	7212402000	-- Other, containing by weight less than 0.6% of carbon and of a thickness of 1.5 mm or less	7212.40.20.00-8	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率50赫芝最大磁通密度1.5韋伯／平方公尺時鐵心損失在5瓦特／公斤及以上但未達6.5瓦特／公斤者Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m2, the iron loss 5 W/kg or more but less than 6.5 W/kg
5	7212409000	-- Other	7212.40.30.00-6	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品，具電氣特性，以頻率50赫芝最大磁通密度0.5韋伯／平方公尺時鐵心損失低於5瓦特／公斤者Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m2, the iron loss less than 5W/kg
6	7225999000	--- Other	7225.99.10.00-5EX	其他合金鋼之扁軋製品，寬度600公厘及以上，經鍍面、塗面或護面者，高速鋼除外Flat-rolled products of other alloy steel, plated, coated or clad, of a width of 600 mm or more, excluding high speed steel
7	7226991900	--- Other	7226.99.90.00-7	其他合金鋼扁軋製品，寬度小於600公厘者Flat-rolled products of other alloy steel, of a width of less than 600 mm
8	7226999900	--- Other		