

## **Regulations Governing Verification and Inspection of Measuring Instruments**

### **Article 1**

These Regulations are established in accordance with Article 18 of the Weights and Measures Act (hereinafter referred to as “the Act”).

### **Article 2**

The term “verification” used in these Regulations are classified and defined as follows:

1. Initial Verification: means the verification of legal measuring instruments subject to verification which is conducted before the measuring instruments being released from the production premises or imported. However, under the agreement of the dedicated weights and measures authority, it can also mean the verification conducted on-site after the measuring instruments being installed or while in-use.
2. Re-verification: means the verification of legal measuring instruments subject to verification which is conducted when the validity period of the previous verification expires or after being repaired, adjusted or re-modeled, or while in-use.

The term “verification agency (institution)” used in these Regulations means the dedicated weights and measures authority or its branches, or any other government agencies, institutions or organizations commissioned by the dedicated weights and measures authority.

### **Article 3**

The categories and scopes of legal measuring instruments subject to verification are as follows:

1. Taximeters.
2. Weighing instruments: non-automatic weighing instruments, automatic gravimetric filling weighing instruments and discontinuous totalizing automatic weighing instruments, excluding the following instruments:
  - (1) The weighing instruments of non-pricing and not for transaction use with a number of verification scale interval all more than 10 000;
  - (2) The weighing instruments with a number of verification scale interval less than 3000 and maximum weighing capacity less than 3 kg marked not for transaction use of measuring instruments.
  - (3) Portable suspended weighing instruments with a maximum weighing capacity less than 50 kg and marked not for transaction use of measuring instruments.
  - (4) Suspended weighing instruments with a maximum weighing capacity more than 1 t;
  - (5) Bathroom scales;
  - (6) Weighing in motion non-automatic weighing instruments;
3. Non-Invasive mechanical sphygmomanometers;
4. Volumeters:
  - (1) Liquid volumetric meters: metal measuring pails and measuring tanks marked with divisions; excluding the following measuring tanks:
    - (i) Measuring tanks with a capacity of more than 110 m<sup>3</sup>; and
    - (ii) Pressure measuring tanks.
  - (2) Diaphragm gas meters, excluding gas meters with a maximum air flow more than 100 m<sup>3</sup>/hr.
  - (3) Water meters: volumetric water meters, velocity water meters (Woltmann meters, single-jet meters and multi-jet meters) and vortex water meters, excluding combination water meters and water meters with a caliber of more than 300 mm.

- (4) Oil meters provided for trading petroleum products, excluding oil meters with a caliber of more than 160 mm.
- (5) Liquefied petroleum gas flow meters.
- (6) Air to liquid volumetric ratio (A/L) measuring instruments for official inspection.
5. Electricity meters: Watt-hour meters, Var-hour meters, Watt-hour demand meters, Static electricity meters and Instrument transformers, excluding are as follows:
  - (1) Ancillary electricity meters within the electric products
  - (2) Ancillary electricity meters within the converters/inverters
  - (3) Panel meter
  - (4) Portable electricity meters
  - (5) Reference electricity meter
  - (6) Direct current electricity meter
  - (7) Energy transducer
  - (8) Standard electricity meters and those with rated voltage higher than 600 V.
  - (9) Current transformer operated electricity meters those with rated secondary current below 5 A
  - (10) Current transformers those with rated secondary current below 5A
  - (11) Instrument transformers of 69 kV higher than the nominal system voltage.
6. Speedometers.
  - (1) Radar speedometers for law enforcement.
  - (2) Laser speedometers for law enforcement.
  - (3) Inductive loop speedometers for law enforcement.
  - (4) Average speed control devices for law enforcement.
7. Sound level meters for official inspection.
8. Concentration meters.
  - (1) Breathe alcohol testers and analyzers for official inspection.
  - (2) Rice grain moisture meters.
  - (3) Field corn moisture meters.
  - (4) Vehicles exhaust emissions analyzers for official inspection excluding those used for motorcycles and diesel engines.
9. Illuminance meters for official inspection.
10. Electrical thermometers.

The legal measuring instruments subject to verification under the provisions set forth in subparagraph 2 may be exempted from verification if they were manufactured or imported before 1 January 2014 and marked not for transaction use, certification or official inspection.

The field corn moisture meters listed in item 3, subparagraph 8, Paragraph 1 shall be included as legal measuring instruments subject to verification and come into force on 1 July 2016. To meet the field corn production season, the period of accepting verification for field corn moisture meters shall be during February to March and July to August each year.

The average speed control devices for law enforcement listed in item 4, subparagraph 6, Paragraph 1 shall be included as legal measuring instruments subject to verification and enter into force on 1 January 2021.

The air to liquid volumetric ratio (A/L) measuring instruments for official inspection listed in item 6, subparagraph 4, Paragraph 1 shall be included as legal measuring instruments subject to verification and enter into force on 1 October 2021.

The applicable targets, applicable legislations, and usage of the legal measuring instruments for official inspection or law enforcement in subparagraph 4, 6 to 9, Paragraph 1 are shown in Annex.

The definitions of petroleum products used in item 4, subparagraph 4, Paragraph 1 shall be referred to subparagraph 4, Paragraph 1, Article 2 of Petroleum Administration Act and include gasoline, diesel oil, kerosene, naphtha, jet fuel, and fuel oil.

#### **Article 4**

The markings as referred to in item 2 and 3, subparagraph 2, Paragraph 1, Article 3 shall be marked not for transaction use in Chinese on the front of the body of measuring instruments and on the obvious place of the package or container.

The markings on the body of measuring instruments referred to in the preceding Paragraph shall be carved or printed on the body or made in other permanent manner.

Where markings are not made in accordance with the provisions of the preceding two paragraphs, it shall be ordered to rectify the unlawful act within a given time limit, and if such unlawful act is not rectified upon expiry of the deadline date, verification shall be conducted in accordance with relevant provisions.

#### **Article 5**

The applicant for initial verification shall be the manufacturer or importer of the legal measuring instruments subject to verification. Under special circumstances with the agreement of the verification agency (institution), the applicant may be the owner or holder of the legal measuring instruments.

Once the type approval of legal measuring instruments subject to verification is transferred to any other individuals or companies, the original applicant no longer has the right to apply for initial verification of the same type of the legal measuring instruments.

#### **Article 6**

To apply for verification, the applicant shall prepare an application form and submit it to the verification agency (institution) together with the verification fee, the legal measuring instruments subject to verification and the required documents specified in the technical specifications for verification and inspection of measuring instruments. Where necessary, the verification agency (institution) may notify the applicant to provide other relevant documents.

The application form as referred to in the preceding Paragraph shall include the following contents:

1. Name, address and signature of the applicant;
2. License number of the weights and measures business license. However, this is not applicable if the applicant is not a weights and measures business operator; and
3. Category, quantity and content of the legal measuring instruments subject to verification.

#### **Article 7**

Upon receiving an application for verification, the verification agency (institution) shall notify the applicant to rectify within thirty days if the application is found not to conform with the requirements after document review. If the applicant fails to rectify by the expiration of the preceding period, the verification agency (institution) shall reject the application and return the verification fee.

#### **Article 8**

Verification shall be conducted on the premises of the verification agency (institution). Under special circumstances, the applicant may apply to the verification agency (institution) for dispatching its personnel to conduct verification on the site where the legal measuring instruments

subject to verification are installed.

Where the verification is conducted on-site, the verification working standards used to verify the legal measuring instruments shall be carried to the site with the personnel of the verification agency (institution), or be the ones which are assessed and found to conform by the verification agency (institution).

In case the personnel of the verification agency (institution) carries the verification working standards with them to conduct verification on-site as mentioned in the preceding Paragraph, the verification agency (institution) may seek the assistance from the applicant to transport the verification working standards to the site.

## **Article 9**

Where the content, quantity or marking of the measuring instruments are found inconsistent with the description in the application form and the applicant cannot rectify in time, the verification agency (institution) shall not conduct the verification.

The applicant shall make rectifications as referred to in the preceding Paragraph within twenty days. If the applicant fails to rectify by the expiration of the preceding period, the application shall be rejected. If the inconsistencies involve deceitful behavior, the verification agency (institution) shall reject the application.

## **Article 10**

Where the personnel is dispatched to conduct the verification on-site, if the verification can not be done due to causes not attributable to the applicant, the verification agency (institution) may designate another date for conducting verification, and the applicant need not to pay the verification fee again.

If the verification cannot be conducted due to causes attributable to the applicant, the result of verification shall be deemed as incompliance.

## **Article 11**

The division value of the scale of a legal measuring instrument subject to verification shall employ “1,” “2” or “5” multiplied by the power of “10,” and the power shall be positive or negative integer or zero.

## **Article 12**

The verification shall be conducted one by one for all legal measuring instruments subject to verification. However, the verification of electrical thermometers listed in subparagraph 10, Paragraph 1, Article 3 may be conducted on the basis of sampling.

The sampling verification of electrical thermometers referred to in the preceding paragraph shall be continuous sampling. After the electrical thermometers of same model number pass the verification for successive 1000 pieces of different batches, the sampling verification may be conducted with one-tenth of total quantity applied for verification starting from the next batch. If all sampled pieces pass the verification, all electrical thermometers of the application shall be deemed to comply. The piece-by-piece verification shall be resumed immediately if any piece fails to meet the requirements of measurement error while performing sampling verification. The batch followed shall not resume sampling verification until there are 1000 successive pieces passing verification.

Before the implementation of sampling verification, the applicant shall provide the permit license of

medical devices issued by the Ministry of Health and Welfare, and the quality control record for electrical thermometers of the given batch.


Where necessary, the measuring instruments may be disassembled to conduct the verification referred to in the first Paragraph. The same practice shall apply for inspection.


### **Article 13**

The record of verification of legal measuring instruments subject to verification shall be made and include the following items:

1. Name of the applicant;
2. Category, trademark, model and serial number of the legal measuring instruments subject to verification and other relevant data;
3. Maximum permissible error, measurement error, results of verification (compliance or incompliance) and the number of verification certificate of the legal measuring instruments subject to verification;
4. Category and serial number of the measurement standard and the number of the verification record;
5. The site where the verification is conducted and the name of personnel conducting verification; and
6. Date of verification.

### **Article 14**

Legal measuring instruments that have passed verification shall bear a verification mark “

The mark “

1. Engraving, stamping, spraying, branding or adhering.
2. Seal.

The verification agency (institution) shall issue a report of verification result of legal measuring instruments after conducting verification.

For legal measuring instruments that meet the requirements of the technical specifications for verification and inspection of measuring instruments, a verification certificate shall be issued after they pass verification. An applicant may also apply for issuance of verification certificates by describing the reason and paying the certificate fee.

### **Article 15**

The verification records of legal measuring instruments that have passed verification shall be maintained for two years in addition to the validity period of the verification. Where the validity period of the verification is not prescribed, the records shall be kept for fifteen years.

### **Article 16**

An application for reissue of the original verification certificate may be submitted to the verification agency (institution) by submitting an application form (or relevant supporting documents) and certificate fee if the original certificate is lost or damaged.

## **Article 17**

The legal measuring instruments that have passed verification shall be subject to periodical or non-periodical inspection conducted by the verification agency (institution) when they are put in use.

The verification agency (institution) may decide the scope of inspection according to all or, part of verification and inspection technical requirements of legal measuring instruments.

## **Article 18**

Where a verified legal measuring instrument is suspended from use due to certain causes, the owner or holder may report to the verification agency (institution), who shall attach slips of suspension of use to the legal measuring instrument, and the legal measuring instrument may be exempted from inspection.


Where the suspension of use referred to in the preceding Paragraph is not reported to the verification agency (institution) and the validity period of verification has expired, the owner or holder shall make new applications for verification.

## **Article 19**

Inspection shall be conducted on the site where the legal measuring instruments are put in use during the business hours of the organizations under inspection. If the inspection cannot be conducted on the site of usage, the verification agency (institution) may notify the owner or holder to send the legal measuring instruments to a designated location for inspection within a given time limit.

## **Article 20**

The legal measuring instruments that have passed inspection shall bear the inspection compliance mark on their front bodies respectively. However, taximeters may bear the inspection compliance mark on other place specified by the verification agency (institution).

The pattern of the inspection compliance mark referred to in the preceding Paragraph shall be “,” the ratio of the lines to the spaces being 1:1.

## **Article 21**

Under any of the following circumstances, the verification agency (institution) shall remove the verification and inspection compliance marks (including the corresponding seals) from the verified legal measuring instruments, but in case of multi-instruments sharing a seal and at least one of them passed inspection or verification the seal shall be kept:

1. Where they do not pass re-verification; or
2. Where they do not pass inspection.

The measuring instruments that do not pass inspection as referred in the preceding Paragraph shall be attached with markings of stopping use.

## **Article 22**

The formats of the verification and inspection compliance marks and verification certificates shall be prescribed by the dedicated weights and measures authority.

**Article 23**

These Regulations shall come into force upon the date of promulgation unless another date of enforcement is prescribed.

Note: In case of any discrepancy between this translation and the Chinese version, the Chinese version shall govern

## Annex

The applicable targets, applicable legislations, and usage of the legal measuring instruments for official inspection or law enforcement

<b>Legal measuring instruments for official inspection or law enforcement</b>	<b>The applicable targets, applicable legislations, and usage</b>
Radar speedometers for law enforcement	Reporting violations of the Road Traffic Management and Penalty Act by police authorities.
Laser speedometers for law enforcement	<ol style="list-style-type: none"> <li>1. Reporting violations of the Road Traffic Management and Penalty Act by police authorities.</li> <li>2. Reporting violations of the boats' speed limits in the water area that under the jurisdiction of special municipalities or counties (cities) against the self-government ordinances by special municipalities or counties (cities).</li> <li>3. Reporting violations of regulations Water Act by reservoir authority.</li> </ol>
Inductive loop speedometers for law enforcement	Reporting violations of the Road Traffic Management and Penalty Act by police authorities.
Average speed control devices for law enforcement	Reporting violations of the Road Traffic Management and Penalty Act by police authorities.
Sound level meters for official inspection.	<ol style="list-style-type: none"> <li>1. Complying with Noise Control Act by environmental protection authorities , relevant agencies and analysis laboratories which are permitted by the central competent authority to perform noise pollution monitoring.</li> <li>2. Complying with Noise Control Act by authorities of civil and military airport.</li> <li>3. Complying with violations penalties of the Occupational Safety and Health Act by labor inspection authorities.</li> </ol>
Breath alcohol testers and analyzers for official inspection	<ol style="list-style-type: none"> <li>1. Complying with article 185-3, Criminal Code of the Republic of China or reporting violations of the Road Traffic Management and Penalty Act by police authorities.</li> <li>2. Complying with Civil Aviation Act by civil aeronautics authorities.</li> </ol>



Vehicles exhaust emissions analyzers for official inspection excluding those used for motorcycles and diesel engines	<ol style="list-style-type: none"> <li>1. Complying with Air Pollution Control Act by relevant agencies and analysis laboratories which are permitted by the central competent authority to perform air pollution monitoring.</li> <li>2. Complying with Air Pollution Control Act by the motor vehicle authorities.</li> </ol>
Air to liquid volumetric ratio (A/L) measuring instruments for official inspection	Complying with Air Pollution Control Act by environmental protection authorities, relevant agencies and analysis laboratories which are permitted by the central competent authority to perform air pollution monitoring.
Illuminance meters for official inspection	Complying with violations penalties of the Occupational Safety and Health Act by labor inspection authorities