

## Content

Title :	Directions Governing the Inspection of Personal Protective Equipment <b>Ch</b>
Date :	2018.09.05
Legislative :	<p>1. Adopted and promulgated by the Bureau of Standards, Metrology and Inspection, Ministry of Economic Affairs on 25 September, 2015, and enforced on 1 October, 2015.</p> <p>2. Article 2, 3, 4, 19, 20, 21, 22, 23, 24, 25, 27 and 35 amended and promulgated by the Bureau of Standards, Metrology and Inspection, Ministry of Economic Affairs on 5 April 2016.</p> <p>3. Article 2, 3, 19, 20, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31 and 33 amended and promulgated by the Bureau of Standards, Metrology and Inspection, Ministry of Economic Affairs on 5 September 2018.</p>
Content :	<p><b>Chapter I General Provision</b></p> <p>1. These Directions are established for carrying out inspection of personal protective equipment.</p> <p>2. Products subject to inspection Personal protective equipment imported or manufactured and sold domestically.</p> <p>(1) Protective gloves: rubber protective gloves for occupational health; plastic protective gloves for occupational health, rubber gloves for electrical insulation for electrical circuit safety ("rubber gloves for electrical insulation") and protective leather gloves for welders ("protective gloves for welders").</p> <p>(2) Safety belts: Safety belts for line-men, safety belts [fasten type] and full body harness.</p> <p>(3) Protective footwear: protective boots for occupational health, safety footwear compliant with CNS 20345 ("safety footwear") and protective footwear compliant with CNS 20346 ("protective footwear").</p> <p>(4) Protective helmets: protective helmets for drivers and passengers of motorcycle and mopeds, protective helmets for pedal cyclists, protective helmets for users of skates, skateboarders and roller skates, ("protective helmets for skating and similar activities"), industrial protective helmets, helmet for baseball use, helmet for soft baseball and softball use, and helmet of catcher for baseball and softball use.</p> <p>(5) Eye protectors: eye protector for radiations, eye protector with plastic lenses, eye protector with tempered glass lenses, eye protector for welding, eye protectors for vehicular users, and filter of helmet type and handshield type protector for welders ("filter").</p> <p>3. Inspection schemes</p> <p>(1) Protective gloves:</p> <p>a. Rubber protective gloves for occupational health, rubber gloves for electrical insulation and protective gloves for welders; use batch-by-batch inspection or registration of product certification (Module II and III).</p> <p>b. Plastic protective gloves for occupational health, use declaration of conformity.</p> <p>(2) Safety belts: batch-by-batch inspection or registration of product certification (Module II and IV or V or VII)</p> <p>(3) Protective footwear types:</p> <p>a. Protective boots for occupational health use batch-by-batch inspection or registration of product</p>

certification (Module II and III).

b. Safety footwear and protective footwear uses type approved batch inspection or registration of product certification (Module II and III).

(4) Protective helmets: use batch-by-batch inspection or registration of product certification (Module II and IV or V or VII).

(5) Eye protectors:

a. Eye protector for radiations, eye protector with plastic lenses, eye protector for welding, eye protector for vehicular users and filter, use batch-by-batch inspection or registration of product certification (Module II and IV or V or VII).

b. Eye protector with tempered glass lenses, use declaration of conformity.

#### 4. General regulations of inspection schemes

(1) Batch-by-batch inspection:

a. Before a product is imported or manufactured and sold domestically, the obligatory inspection applicant must apply for inspection by submitting an application form to The Ministry of Economic Affairs, Bureau of Standards, Metrology and Inspection ("BSMI") or its Branch ("Inspection Authority") and purchase the commodity inspection mark "C" printed by the BSMI. The Inspection Authority will not accept any application if the obligatory inspection applicant fail to fill the application form.

b. Application for protective helmets for drivers and passengers of motorcycle and mopeds and eye protectors for vehicular users may be combined in one application. If the application is combined, protective helmets for drivers and passengers of motorcycle and mopeds (including eye protectors for vehicle users) or protective helmets for drivers and passengers of motorcycle and mopeds (including eye protectors) must appear as the name of the commodity applying for inspection. A commodity inspection mark will be attached to the protective helmet itself once it is been approved.

c. Application for eye protector for welding and filter may be combined in a single application. If the application is combined, eye protector for welding (with filter) must appear as name of the commodity applying for inspection. A commodity inspection mark will be attached to the eye protector for welding itself once it is been approved.

d. Aside from the above two applications, the same batch of commodity submitted for application should have the same obligatory inspection applicant, the commodities of the same category, same type, or the same specifications.

e. The same type mentioned in the above Clause is the type recognition principle for the registration of product certification for commodities of the same category.

(2) Registration of product certification:

a. The applicant shall submit the type classification table, product structure pictures, product-component cross reference tables, color photographs (3"x5" or larger) of finished products and components, a sample of the Chinese label, relevant technical documents and sample to the Inspection Authority or designated testing laboratories recognized by the BSMI for a type-test application.

b. In principle, one type of commodity from the main type and series type will be subject to the aforementioned type-test.

c. After receipt of the type-test report, the applicant must attach any other conformity assessment and submit it to the Inspection Authority in accordance with the process of registration of product certification.

d. After receipt of the Registration Certificate, the obligatory inspection applicant must print the commodity inspection mark, the Roman letter 'R' followed by a designated code. A designated

code is the number on the product registration certificate.

e. Where any changes or modifications were made to the scope as listed in the Registration Certificate, the obligatory inspection applicant shall apply for a renewed Registration Certificate with the inspection agencies that issued the original type test reports.

(3) Declaration of Conformity:

a. The obligatory inspection applicant should prepare the following technical documents when signing the Declaration of Conformity:

(a) Technical descriptions of the commodity concerned, including its structure, material, purpose, product catalogue, color photographs (3"x5" or larger) of the product and a comprehensive list of specifications.

(b) One original type-test report, which is valid for a year before the signing of the Declaration of Conformity.

(c) Summary of how the product is manufactured.

(d) Management and supervision measures in place during the manufacturing process.

b. An applicant should submit the type catalogue and sample to the Inspection Authority or to the designated testing laboratories recognized by the BSMI for the application of the aforementioned type-test report.

c. The obligatory inspection applicant must keep the Declaration of Conformity and relevant technical documents until the manufacturer ceases production of the product for five years or after the importer ceases to import the products for five years.

d. The Declaration of Conformity should be kept with the obligatory inspection application for check. Upon market surveillance by the Inspection Authority, the obligatory inspection applicant must provide the Declaration of Conformity within twenty-four hours and the relevant technical documents should be delivered to the Inspection Authority within ten working days.

(4) Type Approved Batch Inspection (TABI):

a. The obligatory inspection applicant shall apply for a type-test in accordance with the first and second item of the Clause 2, and after obtaining the type-test report, submit the application form, type-test report and the relevant technical documents to the inspection authority for type-approval, in order to receive the type approval certificate.

b. Before a product is imported or manufactured and sold domestically, the obligatory inspection applicant must apply for inspection by submitting the copy of the type approval certificate, and purchase the commodity inspection mark "C" printed by the BSMI. The Inspection Authority will not accept any application if the obligatory inspection applicant fails to fill the application form or did not submit the copy of the type approval certificate.

c. The same batch of commodity submitted for application should have the same obligatory inspection applicant, and the same type.

d. Where any changes or modifications were made to the scope as listed in the type approval certificate,

the obligatory inspection applicant must apply for Type Inspection Report change to the Inspection Authority that issued the original Type Inspection Report, and apply for certificate renewal to the Inspection Authority.

## Chapter II Inspection Regulations for Protective Gloves

### 5. Inspection standards and items

(1) Rubber protective gloves for occupational health and plastic protective gloves for occupational health: test appearance, tensile load, pinhole, impermeability (test for product), symbols and

dimensions in accordance with CNS 8068.

(2)Rubber gloves for electrical insulation: test all items in accordance with CNS 12546.

(3)Protective gloves for welders: test all items in accordance with CNS 7178.

(4)If the dimensions of the commodities mentioned in the above three Clauses were manufactured according to parties' agreement and not according to the inspection standards, the obligatory inspection applicant should submit the sales information (such as a sales agreement and purchase order)

to the Inspection Authority when applying for a test. It is not necessary for the obligatory inspection applicant to obtain the BSMI's prior approval before applying for a test.

#### 6.Principle of sampling for batch-by-batch inspection

(1)Rubber protective gloves for occupational health: divided into different categories (natural rubber or synthetic rubber) and reagent classification, 3 samples for each category, but for any gloves supposedly suitable for three reagents classification or more, an additional sample is required for every additional reagent classification.

(2)Rubber gloves for electrical insulation: 2 samples for each category with a different purpose (voltage resistance).

(3)Protective gloves for welders: 2 samples for each category with a different purpose (fusing or gas welding).

(4)The Inspection Authority may seal the number of samples set out in terms of the above three Clauses, deliver it to the obligatory inspection applicant for safe-keeping for re-inspection in future.

#### 7.Processing time of batch-by-batch inspection: 7 working days after sampling

#### 8.Same type, main type and series type mentioned in the test reports are defined as follows:

(1)Rubber protective gloves for occupational health and plastic protective gloves for occupational health:

a.Same type: same category (natural or synthetic rubber).

b.Main type: of the same type, select any one reagent classification as the main type.

c.Series type: of the same type, other reagent classification except for the main type shall be a different series type.

(2)Rubber gloves for electrical insulation:

a.Same type: all protective gloves for electric insulation submitted by the obligatory inspection applicant.

b.Main type: select any one category under the same type (voltage resistance) as the main type.

c.Series type: of the same type, other categories (voltage resistant) except for the main type shall be a different series type.

(3)Protective gloves for welders

a.Same type: all protective gloves for welders submitted by the obligatory inspection applicant.

b.Main type: select any one category under the same type (fusing or gas welding) as the main type.

c.Series type: of the same type, other categories (fusing or gas welding) except for the main type shall be a different series type.

#### 9.Relevant technical documents must also be submitted with the application for the registration of product certification:

(1)Test reports for the glove material.

(2)Descriptions for quality assurance system.

10.Items to be tested for the type test:

(1)Rubber protective gloves for occupational health and plastic protective gloves for occupational health:

a.Main type: same as Clause 1 of Article 5.

b.Series type (key items): tensile load, pinhole and impermeability (test for product).

(2)Protective gloves for electric insulation:

a.Main type: same as Clause 2 of Article 5.

b.Series type: same as Clause 2 of Article 5.

(3)Protective gloves for welders:

a.Main type: same as Clause 3 of Article 5.

b.Series type: same as Clause 3 of Article 5.

11.Inspection Agency

(1)Rubber Protective gloves for occupational health, plastic protective gloves for occupational health and protective gloves for electric insulation: Tainan Branch of the BSML.

(2)Protective gloves for welders: 6th Division of the BSML.

### Chapter III Inspection Regulations for Safety Belts

12.Inspection standards and items

(1)Safety belts for line-men: test all items in accordance with CNS 7543.

(2)Safety belts (fasten type): test all items in accordance with CNS 6701.

(3)Full body harness: category, label and suspension rope related auxiliaries are tested in accordance with CNS 6701. The rest are subject to full testing in accordance with CNS 14253.

13.Principle of sampling for batch-by-batch inspection

(1)Safety belts for line-men:

a.First category (U-suspension type): 2 samples.

b.Second category (U and straight suspension type): 3 samples.

c.Third category (U and straight suspension type [with auxiliary hook]): 3 samples.

(2)Safety belts (fasten type): the product falls into one of four categories according to its structure, 2 samples for each category:

a.1A: With auxiliary belt, hook [belt ring] at the front end of the rope.

b.1B: With auxiliary belt, rope clip at the front end of the rope.

c.2A: Without auxiliary belt, hook [belt ring] at the front end of the rope.

d.2B: Without auxiliary belt, rope clip at the front end of the rope.

(3)Full body harness: 2 samples for each design.

(4)The Inspection Authority may seal the number of samples set out terms of the above three Clauses, deliver it to the obligatory inspection applicant for safe-keeping for re-inspection in future.

14.Processing time of batch-by-batch inspection: 7 working days after the sampling.

15.Same type, main type and series type mentioned in the test reports are defined as follows:

(1)Same type: same safety belts and rope.

(2)Main type: of the same type, select any one product as the main type.

(3)Series type: of the same type, those with different buckle, ring, D-ring, D-buckle, rope

clip (adjuster), hooks or materials shall be different series types.

16. The applicant only needs to attach documents according to Clause 2(1) of Article 4 for a type test application of the registration of production certification.

17. Items to be tested for the type test:

(1) Main type: same as Article 12.

(2) Series type (key items): impact absorption test and strength test for all components.

18. Inspection Agency:

(1) Impact absorption test: Taichung Branch of the BSMI.

(2) Tests aside from impact absorption: 6th Division of the BSMI.

#### Chapter IV Inspection Regulations for Protective Footwear types

19. Inspection standards and items

(1) Protective boots for occupational health:

a. Appearance, outsole, impermeability (test for product), structure, dimensions, material, label and manual in accordance with CNS 12707.

b. If the dimensions of the commodities were manufactured according to parties' agreement and not according to the inspection standard, the obligatory inspection applicant should submit the sales information (such as an agreement and purchase order) to the Inspection Authority when applying for the test. It is not necessary for the obligatory inspection applicant to obtain the BSMI's prior approval before applying for the test.

(2) Safety footwear and protective footwear:

a. The inspection standard for safety footwear is CNS 20345; the inspection standard for protective footwear is CNS 20346.

b. Inspection items:

(a) Design: Height of upper and Seat region (design B、C、D、E).

(b) Whole footwear: Sole performance (Construction、Upper/outsole bond strength)、Toe protection

(General、Internal length of toecaps、Impact resistance、Compression resistance、Behavior of toecaps)、Leakproofness、Slip resistance.

(c) Upper: General、Thickness、Tear strength、Tensile properties、Flexing resistance、Water vapor

permeability and coefficient、pH value、Hydrolysis、Chromium VI content.

(d) Outsole: Design, Tear strength, Abrasion resistance, Flexing resistance, Hydrolysis, Interlayer bond strength.

(e) Labeling: according to the inspection standard in section 7 (a), (b), (c), (d) and (f).

c. Key Inspection Items: Whole footwear Impact resistance and Compression resistance, and Upper Chromium VI content.

20. Batch-by-batch inspection

(1) Principle of sampling:

a. Protective boots for occupational health: samples will be taken for different categories (rubber or plastic) and test reagent ("reagent") classification. Sample of 2 pairs are taken if there are less than two thousand in a batch or reagent type and 4 pairs if there are more than two thousand pairs in a batch or reagent type.

- b. The Inspection Authority may seal the number of samples set out terms of the above Clause, and deliver them to the obligatory inspection applicant for safe-keeping for further re-inspection.
- (2) Processing time of inspection: 10 working days after sampling.
- (3) Inspection agency: Tainan Branch of the BSMI.

#### 21. Type Approved Batch Inspection

- (1) For safety footwear and protective footwear that have already obtained type approval certificate, the Inspection Authority shall begin to accept applications beginning Jan. 1st, 2018.
- (2) After accepting the application for inspection for safety footwear and safety footwear, the following methods shall be available for inspection:
  - a. Each batch has 1/5 probability of sampling for inspection, batches that were not sampled shall use documentary review, in order to simplify inspection process.
  - b. For those disqualified after sampling and inspection, the same type product shall have to undergo and pass three consecutive batch sampling and inspection before being able to resume the simplified process of 1/5 probability for sampling inspection.
  - c. Two pairs shall be taken from the batch undergoing sampling, and shall be inspected and the label verified according to Article 19, Clause 9, Item 3.
  - d. Processing time of inspection: 10 working days after sampling.
  - e. Inspection agency: Tainan Branch of the BSMI.

#### 22. Principles of the Type Test :

- (1) Protective boots for occupational health
  - a. Same type: same category (rubber or plastic).
  - b. Main type: of same type select any one reagent classification as the main type.
  - c. Series type: of the same type, other reagent classification except for the main type shall be different series types.
- (2) Safety footwear and protective footwear :
  - a. Same type: same category of shoes and material (divided into four types: rubber soles with other parts in leather and other materials, polyurethane foam soles with other parts in leather and other materials, soles and other parts all in rubber, soles and other parts all in plastic).
  - b. Main type: of the same type, safety footwear with the most additional requirements is regarded as the main type; if there are more than two designs of safety footwear (designs are divided into five types A [Low shoe], B [Ankle boot], C [Half-knee boot], D [Knee-height boot], E [Thigh boot]) and possesses the most additional requirements at the same time, any of the safety footwear designs with the most additional requirements is regarded as the main type. If there are no safety footwear, then protective footwear is regarded as the main type, if there are more than two designs of protective footwear (designs also divided into A, B, C, D, E five types) and possesses the most additional requirements at the same time, any of the safety footwear designs with the most additional requirements is regarded as the main type.
  - c. Series type: of the same type, those except for the main type and the additional features possessed shall be difference series types

#### 23. Relevant technical documents and samples to be submitted with the application for the registration of product certification or type approved batch inspection:

- (1) Protective boots for occupational health:
  - a. Test reports for the materials of vamps and soles. For Protective footwear, Anti-electrostatic footwear which vamp is made of non-chromate tanned leather, the test reports shall include Chrome

content test.

b. Descriptions for quality assurance system.

c. Samples:

(a) Main type: two pairs of samples required for each reagent classification.

(b) Series type: two pairs of samples required for each reagent classification.

(2) Safety footwear and protective footwear:

a. Test reports for the materials of vamps and soles.

b. Test declarations, and test-reports from Taiwan Accreditation Foundation (TAF) or International Laboratory Accreditation Cooperation (ILAC) approved laboratories stating that additional requirements have been performed for products labelled with special requirements.

c. Descriptions for quality assurance system.

d. Samples:

(a) Main type: seven pairs, if finished product cannot provide the sample size and weight for the test, vamp material equal to the finished product (including leather, coated fabric or textile, rubber or polymeric) shall be provided for the type test.

(b) Series type: two pairs. Test reports for the materials of vamps and soles. For Protective footwear, Anti-electrostatic footwear which vamp is made of non-chromate tanned leather, the test reports shall include Chrome content test.

24. Items to be tested for the type test:

(1) Protective boots for occupational health:

a. Main type: same as Clause 1 of Article 19.

b. Series type (key items): impermeation (test for product), for footwear with metallic toecaps, additional toecap compression resistance and toecap corrosion resistance shall be conducted.

(2) Safety footwear and protective footwear:

a. Main type: same as Item 2, Clause 2 of Article 19.

b. Series type (key item): same as Item 3, Clause 2 of Article 19.

25. Type-test agency

(1) Protective boots for occupational health: Tainan Branch of the BSMI.

(2) Safety footwear and protective footwear: Tainan Branch of the BSMI or designated testing laboratories recognized by the BSMI.

## Chapter V Inspection Regulations for Protective Helmets

26. Inspection standards and items

(1) Protective helmets for drivers and passengers of motorcycles and mopeds: test all items in accordance with CNS 2396.

(2) Protective helmets for pedal cyclists and protective helmets for skating and similar activities: test all items in accordance with CNS 13371.

(3) Industrial protective helmets: test all items in accordance with CNS 1336. Additional tests shall be conducted according to the optional performance claims on the label.

(4) Helmet for baseball use: test all items in accordance with CNS 13338.

(5) Helmet for soft baseball and softball use: test all items in accordance with CNS 13339.

(6) Helmet of catcher for baseball and softball use: test all items in accordance with CNS 13340.

27. Principle of sampling for batch-by-batch inspection

(1) Protective helmets for drivers and passengers of motorcycle and mopeds:



- a. With eye protector: 8 samples, 3 to be sealed and delivered to the obligatory inspection applicant for safe-keeping for re-inspection in future.
- b. Without eye protector: 8 samples, 4 to be sealed and delivered to the obligatory inspection applicant for safe-keeping for re-inspection in future.
- (2) Protective helmets for pedal cyclists: 5 samples.
- (3) Protective helmets for skating and similar activities: 4 samples.
- (4) Industrial protective helmets:
  - a. For prevention of injuries caused by falling or randomly projected objects: 6 samples.
  - b. For protection in the events of tumbling and falling down: 6 samples.
  - c. Additional sampling for protective helmets with optional performance claims on the label are as following:
    - (a) For electrical insulation at high voltage: 1 sample.
    - (b) Ultra-low temperature: 2 samples (4 samples if two types are labeled).
    - (c) Lateral rigidity: 1 sample.
    - (d) Flame resistance: 1 sample.
- (5) Helmet for baseball use, helmet for soft baseball and softball use, and helmet of catcher for baseball and softball use: 4 samples if there are less than two hundred in a batch, 6 samples if there are less than four hundred in a batch, 8 samples if there are less than six hundred in a batch and 10 samples if there are more than six hundred in a batch.
- (6) Protective helmets other than protective helmets for drivers and passengers of motorcycles and mopeds, the Inspection Authority may seal the number of samples set out in terms of the above four Clauses, deliver it to the obligatory inspection applicant for safe-keeping for re-inspection in future.
- (7) If commodities in the same batch contain different specifications (size), the Inspection Authority may request the obligatory inspection application to provide a list of different specifications (size), the principle for sampling is to take the specification (size) containing the highest quantity.

#### 28. Processing time of batch-by-batch inspection

- (1) Protective helmets for drivers and passengers of motorcycles and mopeds, protective helmets for pedal cyclists, protective helmets for skating and similar activities, helmet for baseball use, helmet for soft baseball and softball use, and helmet of catcher for baseball and softball use: 7 working days after sampling.
- (2) Industrial protective helmets: 7 working days after sampling.

#### 29. Same type, main type and series type mentioned in the test reports are defined as follows:

- (1) Protective helmets for drivers and passengers of motorcycles and mopeds:
  - a. Same type: same category (general type or reinforced type), shell and impact absorbing padding.
  - b. Main type: of the same type, select any one product as the main type.
  - c. Series type: of the same type, different materials used for shells, impact absorption padding, chinstrap, buckle or any other components shall be different series types.
- (2) Protective helmets for pedal cyclists and protective helmets for skating and similar activities:
  - a. Same type: same shell, impact absorption and vents.
  - b. Main type: of the same type, select any one product as the main type.
  - c. Series type: of the same type, different materials used for shells, impact absorption padding, chinstrap, buckle or any other components shall be different series types.
- (3) Industrial protective helmets
  - a. Same type: same shell, same harness and same types.

- b. Main type: of the same type, select any one product as the main type.
  - c. Series type: of the same type, the materials used for shells and harness, and different adjustment approach for chinstrap with neck support (strap for back of head).
  - (4) Helmet for baseball, helmet for soft baseball and softball use and, helmet of catcher for baseball and softball use:
    - a. Same type: same shell and impact absorption padding.
    - b. Main type: of the same type, select any one product as the main type.
    - c. Series type: of the same type, different materials used for shell shall be different series types.
30. Relevant technical documents must be submitted with the application for the registration of product certification:
- (1) Protective helmets for drivers and passengers of motorcycles and mopeds: material testing report for shell, chinstrap and absorption padding.
  - (2) Protective helmets for pedal cyclists and protective helmets for Skating and similar activities: material testing report for shell, absorption padding, chinstrap and buckle.
  - (3) Industrial protective helmets, helmet for baseball, helmet for soft baseball and softball use, and helmet of catcher for baseball and softball use: material testing report for shell.
31. Items to be tested for the type test:
- (1) Protective helmets for drivers and passengers of motorcycles and mopeds:
    - a. Main type: same as Clause 1 of Article 26.
    - b. Series type (key items): impact absorption tests and penetration resistance test shall be conducted for different shell; impact absorption test shall be conducted for different impact absorption padding, and chinstrap strengthening test and roll off test shall be conducted for different chinstrap or buckle.
  - (2) Protective helmets for pedal cyclists:
    - a. Main type: same as Clause 2 of Article 26.
    - b. Series type (key items): impact absorption tests shall be conducted for different shell or impact absorption padding, chinstrap strengthening test and roll off test shall be conducted for different chinstrap or buckle.
  - (3) Protective helmets for skating and similar activities:
    - a. Main type: same as Clause 2 of Article 26.
    - b. Series type (key items): impact absorption tests shall be conducted for different shell or impact absorption padding, and chinstrap strengthening test shall be conducted for different chinstrap or buckle.
  - (4) Industrial protective helmets:
    - a. Main type: same as Clause 3 of Article 26.
    - b. Series type: same as Clause 3 of Article 26.
  - (5) Helmet for baseball use:
    - a. Main type: same as Clause 4 of Article 26.
    - b. Series type (key items): impact absorption test.
  - (6) Helmet for soft baseball and softball use:
    - a. Main type: same as Clause 5 of Article 26.
    - b. Series type (key items): impact absorption test.
  - (7) Helmet of catcher for baseball and softball use:
    - a. Main type: same as Clause 6 of Article 26.
    - b. Series type (key items): impact absorption test.

32. Inspection agency: Tainan Branch of the BSMI.

33. Industrial protective helmets for electrical insulation at high voltage should be labelled "have electrical insulation ability (7kV or under in service voltage)" and "have passed withstanding voltage (20kV and 10mA or under)" in accordance with the inspection standards. Any restriction on the voltage, for example under 440V, must be added to the label.

#### Chapter VI Inspection Regulations for Eye Protectors

##### 34. Inspection standards and items

- (1) Eye protector for radiations: test all items in accordance with CNS 7174.
- (2) Eye protector with plastic lenses: test all items in accordance with CNS 7177.
- (3) Eye protector with tempered glass lenses: test all items in accordance with CNS 7176.
- (4) Eye protector for welding: test all items in accordance with CNS 7175.
- (5) Eye protector for vehicular users: test all items in accordance with CNS 13370.
- (6) Filter: test size, appearance, thermal resistance, humid resistance, optical properties (parallelism and dioptric power), color, transmittance and label in accordance with CNS 7174.

##### 35. Principle of sampling for batch-by-batch inspection

- (1) Eye protector for radiations and eye protector with plastic lenses: 2 samples for each category (spectacle, front, and goggle).
- (2) Eye protector for welding: 3 samples for each category, style, filter and shade.
- (3) Eye protector for vehicular users:
  - a. Goggle type: 4 samples if there are less than two hundred in a batch, 6 samples if there are less than four hundred in a batch, 8 samples if there are less than six hundred in a batch and 10 samples if there are more than six hundred in a batch.
  - b. Visor and helmet type: 10 samples (including 2 samples for protectors installed on the protective helmet).
- (4) Filter: 2 samples for each transmittance number.
- (5) The Inspection Authority may seal the number of samples set out terms of the above four Clauses, deliver it to the obligatory inspection applicant for safe-keeping for re-inspection in future.

##### 36. Processing time of batch-by-batch inspection: 7 working days after sampling.

##### 37. Same type, main type and series type mentioned in the test reports are defined as follows:

- (1) Eye protector for radiations, eye protector with plastic lenses, and eye protector with tempered glass lenses:
  - a. Same type: same category (spectacle, front, and goggle).
  - b. Main type: of the same type, select any one product as the main type.
  - c. Series type: of the same type, different material or structure except for the main type shall be the series types.
- (2) Eye protector for welding:
  - a. Same type: same category (helmet or handshield).
  - b. Main type: of the same type, select any one product as the main type.
  - c. Series type: of the same type, with different material or structure except for the main type shall be the series types.

(3)Eye protector for vehicular users:

- a. Same type: same category (goggle, visor, and helmet), material and eye-protecting component.
- b. Main type: of the same type, select any one product as the main type.
- c. Series type: of the same type, different color or structure (connection methods to the helmet) other than the main type shall be the series types.

(4)Filter:

- a. Type: all Filter submitted by the obligatory inspection applicant.
- b. Main type: of the same type, select any transmittance number as the main type.
- c. Series type: of the same type, any other transmittance number except the main type shall be the series type.

38. Material testing report for lens must be submitted with the application for the registration of product certification; no such report is required if the material is glass.

39. Items to be tested for the type test:

(1)Eye protector for radiations:

- a. Main type: same as Clause 1 of Article 34.
- b. Series type: same as Clause 1 of Article 34.

(2)Eye protector with plastic lenses:

- a. Main type: same as Clause 2 of Article 34.
- b. Series type: same as Clause 2 of Article 34.

(3)Eye protector with tempered glass lenses:

- a. Main type: same as Clause 3 of Article 34.
- b. Series type: same as Clause 3 of Article 34.

(4)Eye protector for welding:

- a. Main type: same as Clause 4 of Article 34.
- b. Series type: same as Clause 4 of Article 34.

(5)Eye protector for vehicular users:

- a. Main type: same as Clause 5 of Article 34.
- b. Series type (key items): optical properties (parallelism, dioptric power and degree of transparency) shall be conducted for different color; strength, cold resistance and adjustable items shall be conducted for different structure (connection methods with the helmets).

(6)Filter:

- a. Main type: same as Clause 6 of Article 34.
- b. Series type: same as Clause 6 of Article 34.

40. Inspection Agency

(1)Eye protector for radiations, eye protector with plastic lenses and eye protector with tempered glass lenses: 6th Division of the BSMI.

(2)Eye protector for welding:

- a. Test for insulation: Tainan Branch of the BSMI.
- b. Test aside from insulation: 6th Division of the BSMI.

(3)Eye protector for vehicle users: Tainan Branch of the BSMI.

(4)Filter:

- a. Applications to be tested at 6th Division of the BSMI: 6th Division of the BSMI.
- b. Applications to be tested except 6th Division of the BSMI: Tainan Branch of the BSMI.

41. Once the batch-by-batch inspection sampling has commenced for eye protector for welding, one

sample is to be delivered to the Tainan Branch of the BSMI for an insulation test and other samples are to be delivered to 6th Division of the BSMI for tests aside from an insulation test at 6th Division of the BSMI.

42. When eye protector for welding and filter are combined under a single application, the filter must be removed. Eye protector for welding will be tested in accordance with above Article, Filter will be tested by 6th Division or Tainan Branch of the BSMI in accordance with Clause 4 of Article 40.

---

Data Source : Ministry of Economic Affairs R.O.C.(Taiwan) Laws and Regulations Retrieving System